

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|------------------|
| S75 | 2 | "20030018808" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/14 10:09 |
| S76 | 706 | proxy same application near5 server\$1 | USPAT | OR | OFF | 2005/12/15 12:47 |
| S77 | 538 | messag\$3 near10 rout\$4 and proxy same application near5 server\$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 12:48 |
| S78 | 222 | messag\$3 near10 rout\$4 and proxy same application near5 server\$1 and behalf | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 12:48 |
| S79 | 0 | messag\$3 near10 rout\$4 and proxy same application near5 server\$1 and behalf and without near15 other | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 12:50 |
| S80 | 76 | messag\$3 near10 rout\$4 and proxy same application near5 server\$1 and behalf and (without or never) near5 know\$6 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 12:52 |
| S81 | 64 | messag\$3 near10 rout\$4 and proxy same application near5 server\$1 and behalf and (without or never) near5 know\$6 and (@ad<"20010326" or @rlad<"20010326") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 12:54 |
| S82 | 5 | messag\$3 near10 rout\$4 near15 application near3 server\$1 and proxy same application near5 server\$1 and behalf and (without or never) near5 know\$6 and (@ad<"20010326" or @rlad<"20010326") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 13:07 |

| | | | | | | |
|-----|-----|---|---|----|-----|------------------|
| S83 | 0 | messag\$3 near10 rout\$4 near15 application near3 provider\$1 and proxy same application near5 server\$1 and behalf and (without or never) near5 know\$6 and (@ad<"20010326" or @rlad<"20010326") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 13:08 |
| S84 | 0 | messag\$3 near10 rout\$4 near15 application near3 provider\$1 and proxy same application near5 provider\$1 and behalf and (without or never) near5 know\$6 and (@ad<"20010326" or @rlad<"20010326") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 13:08 |
| S85 | 0 | messag\$3 near10 rout\$4 near15 application near3 provider\$1 and proxy same application near5 provider\$1 and (@ad<"20010326" or @rlad<"20010326") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 13:08 |
| S86 | 2 | messag\$3 near10 rout\$4 near3 provider\$1 and proxy same application near5 provider\$1 and (@ad<"20010326" or @rlad<"20010326") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 13:08 |
| S87 | 9 | messag\$3 near10 rout\$4 and proxy same application near5 provider\$1 and (@ad<"20010326" or @rlad<"20010326") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 13:08 |
| S88 | 3 | messag\$3 near10 rout\$4 and proxy same application near5 provider\$1 and behalf and (without or never) near5 know\$6 and (@ad<"20010326" or @rlad<"20010326") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 13:12 |
| S89 | 0 | without near5 knowledge near15 (server\$1 or provider\$1) and (@ad<"20010326" or @rlad<"20010326") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 13:13 |
| S90 | 500 | without near5 know\$4 near15 (server\$1 or provider\$1) and (@ad<"20010326" or @rlad<"20010326") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 13:13 |

| | | | | | | |
|-----|-------|---|---|----|-----|------------------|
| S91 | 1 | message\$1 near15 rout\$4 near15 without near5 know\$4 near15 (server\$1 or provider\$1) and (@ad<"20010326" or @rlad<"20010326") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 13:14 |
| S92 | 1 | "20030018808" and knowledge | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 13:15 |
| S93 | 1 | "20030018808" and application near service near provider\$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 13:15 |
| S94 | 3618 | application near service near provider\$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 13:15 |
| S95 | 79747 | application near service near provider\$1 or asp\$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 13:15 |
| S96 | 79747 | (application near service near provider\$1 or asp\$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 13:16 |
| S97 | 4493 | between near15 (application near service near provider\$1 or asp\$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 13:16 |
| S98 | 17 | routing near15 between near15 (application near service near provider\$1 or asp\$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 13:17 |

| | | | | | | |
|----------|------|---|--|----|-----|------------------|
| S99 | 2 | routing near15 between near15 (application near service near provider\$1 or asp\$1)and (@ad<"20010326" or @rlad<"20010326") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 13:19 |
| S10 0 | 3122 | between near15 (application near service near provider\$1 or asp\$1)and (@ad<"20010326" or @rlad<"20010326") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 13:19 |
| S10 1 | 572 | between near15 (application near service near provider\$1 or asp\$1)and (without or never)near15 know\$6 and (@ad<"20010326" or @rlad<"20010326") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 13:20 |
| S10 2 | 1 | between near15 (application near service near provider\$1 or asp\$1)same (without or never)near15 know\$6 and (@ad<"20010326" or @rlad<"20010326") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 13:20 |
| S10 3 | 1 | (application near service near provider\$1 or asp\$1)and message near5 routing same (without or never)near15 know\$6 and (@ad<"20010326" or @rlad<"20010326") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 13:21 |
| S10 4 | 0 | (application near service near provider\$1 or asp\$1)and message near5 routing same (without or never)near15 know\$6 near15 other\$1 and (@ad<"20010326" or @rlad<"20010326") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 13:21 |
| S10 5 | 0 | (application near service near provider\$1 or asp\$1)and routing same (without or never)near15 know\$6 near15 other\$1 and (@ad<"20010326" or @rlad<"20010326") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 13:22 |
| S10 6 | 230 | (application near service near provider\$1 or asp\$1)and(without or never)near15 know\$6 near15 other\$1 and (@ad<"20010326" or @rlad<"20010326") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 13:22 |

| | | | | | | |
|----------|------|---|---|----|-----|------------------|
| S10 7 | 0 | (application near service near provider\$1 or asp\$1)same behalf and(without or never)near15 know\$6 near15 other\$1 and (@ad<"20010326" or @rlad<"20010326") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 13:23 |
| S10 8 | 6 | (application near service near provider\$1 or asp\$1)and behalf and(without or never)near15 know\$6 near15 other\$1 and (@ad<"20010326" or @rlad<"20010326") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 13:24 |
| S10 9 | 265 | (application near service near provider\$1 or asp\$1)and behalf and(without or never)near15 know\$6 and (@ad<"20010326" or @rlad<"20010326") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 14:08 |
| S11 0 | 2126 | message\$1 and behalf and(without or never)near15 know\$6 and (@ad<"20010326" or @rlad<"20010326") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 14:09 |
| S11 1 | 6695 | message\$1 near15 rout\$3 near15 without or never)near15 know\$6 and (@ad<"20010326" or @rlad<"20010326") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 14:09 |
| S11 2 | 27 | message\$1 near15 rout\$3 near15 (without or never)near15 know\$6 and (@ad<"20010326" or @rlad<"20010326") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 14:13 |
| S11 3 | 10 | message\$1 near15 rout\$3 near15 (without or never)near15 know\$6 and service\$1 near2 provider\$1 and (@ad<"20010326" or @rlad<"20010326") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/15 14:13 |